EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2767	friedel crafts acylation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L2	240709	ITO.in. OHASHI.in. MAGARIBUCHI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:12
L3	118	L2 and acylation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:12
L4	116	L2 and benzylamine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:12
L5	222	L4 or L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:12
L6	226	L1 and benzylamine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L7	355	564/169	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L8	2	L2 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L9	27	L7 and benzylamine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12

EAST Search History

L10	24984	friedel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L11	36	L10 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L12	4	L9 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L13	3	L1 same benzylamine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ ·	ON	2007/09/06 15:12
L14	65	L7 and acylation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L15	375	564/161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	ON	2007/09/06 15:12
L16	12	L4 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:16
L17	9	"4725680"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/06 15:17

=> d his full

```
(FILE 'HOME' ENTERED AT 10:23:35 ON 06 SEP 2007)
     FILE 'REGISTRY' ENTERED AT 10:23:40 ON 06 SEP 2007
L1
                STRUCTURE UPLOADED
L2
                STRUCTURE UPLOADED
L3
              0 SEA SSS SAM L1 AND L2
L4
                SCREEN 1235
L5
              0 SEA SSS SAM (L1 AND L2) AND L4
     FILE 'STNGUIDE' ENTERED AT 10:28:13 ON 06 SEP 2007
     FILE 'REGISTRY' ENTERED AT 10:31:52 ON 06 SEP 2007
L6
                SCREEN 1568
L7
                SCREEN 1597
L8
              O SEA SSS SAM (L1 AND L2) AND (L4 AND (L6 OR L7))
L9
                QUE ABB=ON PLU=ON L4 AND (L6 OR L7)
L10
                QUE ABB=ON PLU=ON L4 AND L6
L11
                QUE ABB=ON PLU=ON L4 AND L7
L12
                SCREEN 1929
L13
                QUE ABB=ON PLU=ON L4 AND L12
L14
             0 SEA SSS SAM (L1 AND L2) AND (L4 AND L12)
L15
             0 SEA SSS SAM (L1 AND L2) AND (L4 AND (L6 OR L7))
L16 .
                QUE ABB=ON PLU=ON L1 AND L2
L17
              8 SEA SSS FUL (L1 AND L2) AND (L4 AND (L6 OR L7))
                SAVE TEMP L17 VAL7491L2L/A
                D SCA
     FILE 'ZCAPLUS' ENTERED AT 10:44:15 ON 06 SEP 2007
L18
             5 SEA ABB=ON PLU=ON L17
L19
           5456 SEA ABB=ON PLU=ON ITO A?/AU
L20
           1914 SEA ABB=ON PLU=ON OHASHI H?/AU
             12 SEA ABB=ON PLU=ON MAGARIBUCHI K?/AU
L21
             1 SEA ABB=ON PLU=ON L19 AND L20 AND L21
L22
L23
              3 SEA ABB=ON PLU=ON L19 AND (L20 OR L21)
             1 SEA ABB=ON PLU=ON L20 AND L21
L24
L25
              3 SEA ABB=ON PLU=ON (L22 OR L23 OR L24)
L26
              1 SEA ABB=ON PLU=ON L18 AND PY<2003
                D IBIB
                D HITSTR
L27
              1 SEA ABB=ON PLU=ON L22 AND L18
                D SCA
                SEL RN
     FILE 'REGISTRY' ENTERED AT 10:47:31 ON 06 SEP 2007
              1 SEA ABB=ON PLU=ON 714915-76-1
L28
              9 SEA ABB=ON PLU=ON (108-24-7/BI OR 325155-92-8/BI OR 57058-32-
L29
                9/BI OR 714915-75-0/BI OR 714915-76-1/BI OR 7446-70-0/BI OR
                75-36-5/BI OR 79-22-1/BI OR 89-97-4/BI)
                D SCA L28
L30
              8 SEA ABB=ON PLU=ON L29 NOT L28
                D SCA
                D SCA L28
     FILE 'STNGUIDE' ENTERED AT 10:51:02 ON 06 SEP 2007
    FILE 'REGISTRY' ENTERED AT 10:55:56 ON 06 SEP 2007
               STRUCTURE UPLOADED
L31
L32
                STRUCTURE UPLOADED
```

L33		0 SEA SSS SAM L1 AND L2 AND L31 AND L32
L34		0 SEA SSS SAM LI AND L2 AND L31 AND L32) AND L4 9 SEA SSS FUL (L1 AND L2 AND L31 AND L32) AND L4
L35		SAVE TEMP L35 VAL7491L2LB/A
L36		2 SEA ABB=ON PLU=ON L35 AND L29 D SCA
L37		'ZCAPLUS' ENTERED AT 11:00:31 ON 06 SEP 2007 5 SEA ABB=ON PLU=ON L35
L38		'MARPAT' ENTERED AT 11:00:58 ON 06 SEP 2007 30 SEA SSS SAM L1
L39		'BEILSTEIN' ENTERED AT 11:03:05 ON 06 SEP 2007 0 SEA SSS SAM L1
L40		'REGISTRY' ENTERED AT 11:04:52 ON 06 SEP 2007 STRUCTURE UPLOADED
L41 L42		0 SEA SSS SAM (L40 AND L2 AND L31 AND L32) AND L4 16 SEA SSS FUL (L40 AND L2 AND L31 AND L32) AND L4 D SCA
L43	FILE	'ZCAPLUS' ENTERED AT 11:06:59 ON 06 SEP 2007 9 SEA ABB=ON PLU=ON L42 D COST
L44		'BEILSTEIN' ENTERED AT 11:07:44 ON 06 SEP 2007 0 SEA SSS SAM (L40 AND L2 AND L31 AND L32) AND L4
L46		'MARPAT' ENTERED AT 11:09:28 ON 06 SEP 2007 30 SEA SSS SAM L40
	FILE	'REGISTRY' ENTERED AT 11:12:36 ON 06 SEP 2007
	FILE	'ZCAPLUS' ENTERED AT 11:12:44 ON 06 SEP 2007 D STAT QUE L25
		1 SEA ABB=ON PLU=ON (L19 OR L20 OR L21) AND L43 3 SEA ABB=ON PLU=ON L25 OR L47 D IBIB ABS HITSTR L48 1-3
	FILE	'REGISTRY' ENTERED AT 11:13:33 ON 06 SEP 2007
L49	FILE	'ZCAPLUS' ENTERED AT 11:13:36 ON 06 SEP 2007 D STAT QUE L43 8 SEA ABB=ON PLU=ON L43 NOT L48
	FILE	'BEILSTEIN' ENTERED AT 11:14:01 ON 06 SEP 2007 D STAT QUE L45
L50	FILE	'ZCAPLUS; BEILSTEIN' ENTERED AT 11:14:26 ON 06 SEP 2007 10 DUP REM L49 L45 (0 DUPLICATES REMOVED) ANSWERS '1-8' FROM FILE ZCAPLUS ANSWERS '9-10' FROM FILE BEILSTEIN D IBIB ABS HITSTR L50 1-8 D IDE ALLREF L50 9-10

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8 DICTIONARY FILE UPDATES: 5 SEP 2007 HIGHEST RN 946114-43-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

FILE STNGUIDE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Aug 31, 2007 (20070831/UP).

FILE ZCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 6 Sep 2007 VOL 147 ISS 11 FILE LAST UPDATED: 5 Sep 2007 (20070905/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE MARPAT

FILE CONTENT: 1961-PRESENT VOL 147 ISS 10 (20070831/ED)

SOME MARPAT RECORDS ARE DERIVED FROM INPI DATA FOR 1961-1987

MOST RECENT CITATIONS FOR PATENTS FROM MAJOR ISSUING AGENCIES (COVERAGE TO THESE DATES IS NOT COMPLETE):

US 2007173668 26 JUL 2007
DE 102006001768 19 JUL 2007
EP 1808492 18 JUL 2007
JP 2007189024 26 JUL 2007
WO 2007082470 26 JUL 2007
GB 2433499 27 JUN 2007
FR 2896245 20 JUL 2007

RU 2303603 27 JUL 2007 CA 2571093 16 JUN 2007

Expanded G-group definition display now available.

FILE BEILSTEIN
FILE LAST UPDATED ON June 25, 2007

FILE COVERS 1771 TO 2007.

FILE CONTAINS 10,004,722 SUBSTANCES

>>>PLEASE NOTE: Reaction Data and substance data are stored in separate documents and can not be searched together in one query. Reaction data for BEILSTEIN compounds may be displayed immediately with the display codes PRE (preparations) and REA (reactions). A substance answer set retrieved after the search for a chemical name, a compounds with available reaction information by combining with PRE/FA, REA/FA or more generally with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For mo detailed reaction searches BRNs can be searched as reaction partner BRNs Reactant BRN (RX.RBRN) or Product BRN (RX.PBRN).<<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

- * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST.
- * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE
- * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE
- * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS.
- * FOR PRICE INFORMATION SEE HELP COST

NEW

- * PATENT NUMBERS (PN) AND BABS ACCESSION NUMBERS (BABSAN) CAN NOW BE SEARCHED, SELECTED AND TRANSFERRED.
- * NEW DISPLAY FORMATS ALLREF, ALLP AND BABSAN SHOW ALL REFERENCES, ALL PATENT REFERENCES, OR ALL BABS ACCESSION NUMBERS FOR A COMPOUND AT A GLANCE.

4